

BURGLARY RESISTANT

SAFES



Unyielding and unmatched security for your valuables with a strong double-walled construction that offers resistance against burglars and fires.

Godrej **SECURE 4.0**

DEFENDER PRIME NEUTRONICS

GET ADVANTAGE OF INSTANT ALERTS




Godrej Defender Prime Neutronics is a next-generation 'Intelligent' safe that offers advanced technological features alongside its time-tested physical strength.

Designed to deter, detect, delay, defend, and deny, the Defender Prime Neutronics safe utilizes cutting-edge technology to safeguard itself against the most sophisticated modern-day attacks. This intelligent safe can quickly sense a threat, alerting you while simultaneously defending itself with built-in technological reinforcements.

INTELLIGENT SECURITY THAT'S WAY AHEAD

How it works?



16

Godrej | **SECURE 4.0**

Features



I - Alert

In the event of a burglary attempt, the safe is equipped to trigger a local alarm via a hooter and send alerts to up to eight registered phone numbers.



Torch & Drill Resistance Matrix**

This feature provides resistance to combat modern-day torch and tool attacks.



Duress* (SOS)

In the event of a distress situation, it sends a silent alarm to registered users.



Lock Integration* (Biometric/electronic lock)

- Grants access to up to 30 authorized users.
- Records a time and date-stamped audit trail.
- Offers dual-mode authorization.
- Includes a time delay feature (1-99 minutes) to deter unauthorized access.



Double Duty Barrier

This feature provides resistance against burglary attacks and renders the safe fire-resistant.



Automatic Relocking Device

In the event of an attack on the lock, this device sets the safe into a deadlock, ensuring its security.



Ease of Transportation

The lift-off hinges door construction facilitates the removal of the door for ease of transportation and servicing.



High Precision Locks

The 8-lever dual-control brass locks offer a high number of combinations and massive resistance against pilferage.




BIS Certified

It has been tested as per BIS standard IS 550:2022.



XShield

This is an advanced form of security against burglar attacks on locks, in addition to automatic relocking.



Dimensions

MODELS	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS			VOLUME	WEIGHT
	Height (H)	Weight (W)	Depth (D)	Height (H)	Weight (W)	Depth (D)		
61-CLASS C	154.1	77.5	72	135.1	58.5	43.6	344	1384
61-CLASS BB	159.1	82.5	77.3	135.1	58.5	43.6	344	2050

All dimensions in cm

Also 26 to 81 sizes in all classes are available as per order. *Available only in Electronic & Biometric Lock Type, **Class BB & above

Important:

Please check the load carrying capacity of the floor from structural engineers if the safe is to be kept on the first floor or above. Place the safe preferably on a beam. Tolerance: Weight: $\pm 10\%$, Dimension: $\pm 5\%$

17

DEFENDER PRIME

STRONG. SECURE. AFFORDABLE.



The high end Godrej Defender Prime Safe will be the first of its kind from the house of Godrej. The Defender Prime is designed on a platform suited to the needs of consumers across the globe, thus bringing international quality and looks for our Indian customers. The Defender Prime is the solution to the customers' needs against all possible burglary attacks. Reinforced with enhanced barrier material (DDB and TDR), developed by Godrej through rigorous research and development, it now offers excellent resistance to threats which include cutting, breaking and drilling using all types of mechanical and electrical tools. E.g. - Oxyacetylene torch, crowbars etc.

Features



Strong and Seamless Body
With fully welded multi-corner bend construction without a single rivet and one-piece wrap around door construction



Strong Shooting Bolts
To secure the door behind the jamb box against dislodging



Two-Step Door and Frame Construction
For higher resistance against fire and burglary



Dual Control High Precision
8-lever locks protected with unique drill-defeat shield in the door



Lift-off hinges door construction
Facilitates removal of the door for ease of transportation and service



Torch and Drill Resistant Matrix
Enhanced Torch and Drill Resistant Matrix used in TRTL classes of safes (Class II and above)



Double Duty Barrier (DDB)
Armoured with Double Duty Barrier (DDB) material in the door and the body



Additional Beta Relocker
Sets the safe into a deadlock with two relockers and an additional beta relocker to protect from precision attack on the lock



BIS Standard Tested
Tested as per BIS standard IS 550:2022.

Technical Specifications

	CLASS C (TL 30 D x TL 10 x 5 – FR 30)		CLASS BB (TRTL 15 x 6)		INTERNAL (H x W x D) (cm)
	External (H x W x D) (cm)	Weight (kgs)	External (H x W x D) (cm)	Weight (kgs)	
26	65,2 x 52,1 x 57	448	70,2 x 57,1 x 62,4	640	46,2 x 33,1 x 28,8
31	77,8 x 62,3 x 66	632	82,8 x 67,3 x 71,4	900	58,8 x 43,3 x 37,8
41	103,2 x 62,3 x 66	785	108,2 x 67,3 x 71,4	1160	84,2 x 43,3 x 37,8
49	123,6 x 77,5 x 72	1157	128,6 x 82,5 x 77,3	1680	104,6 x 58,5 x 43,6
61	154,1 x 77,5 x 72	1382	159,1 x 82,5 x 77,3	2050	135,1 x 58,5 x 43,6

Available Models



	CLASS A (TRTL 30 X 6)		CLASS AA (TRTL 60 X 6)		INTERNAL (H X W X D) (CM)
	External (H x W x D) (cm)	Weight (kgs)	External (H x W x D) (cm)	Weight (kgs)	
26	70,2 x 57,1 x 62,4	680	70,2 x 57,1 x 62,4	*	46,2 x 33,1 x 28,8
31	82,8 x 67,3 x 71,4	990	82,8 x 67,3 x 71,4	*	58,8 x 43,3 x 37,8
41	108,2 x 67,3 x 71,4	1268	108,2 x 67,3 x 71,4	*	84,2 x 43,3 x 37,8
49	128,6 x 82,5 x 77,3	1770	128,6 x 82,5 x 77,3	*	104,6 x 58,5 x 43,6
61	159,1 x 82,5 x 77,3	2159	159,1 x 82,5 x 77,3	*	135,1 x 58,5 x 43,6

	CLASS AAA (TRTL 90 X 6)		Internal (H x W x D) (cm)
	External (H x W x D) (cm)	Weight (kgs)	
41	112,2 x 71,3 x 75,5	1475	84,2 x 43,3 x 37,8
49	132,6 x 86,5 x 81,3	2080	104,6 x 58,5 x 43,6
61	163,1 x 86,5 x 81,3	2540	135,1 x 58,5 x 43,6

